



Food and Drug Administration
Rockville, MD 20857

DEC 18 2012

Re: ALAIR Bronchial Thermoplasty System
Docket No. FDA-2010-E-0663

The Honorable David J. Kappos
Under Secretary of Commerce for Intellectual Property
Director of the United States Patent and Trademark Office
Mail Stop Hatch-Waxman PTE
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Director Kappos:

This is in regard to the patent term extension application for U.S. Patent No. 6,411,852 filed by Asthmatx, Inc., under 35 U.S.C. § 156. The patent claims ALAIR Bronchial Thermoplasty System, which was assigned premarket application P080032.

In the May 2, 2012, issue of the Federal Register (77 Fed. Reg. 26016), the Food and Drug Administration published its determination of this product's regulatory review period, as required under 35 U.S.C. § 156(d)(2)(A). The notice provided that on or before October 24, 2012, 180 days after the publication of the determination, any interested person could file a petition with FDA under 35 U.S.C. § 156(d)(2)(B)(i) for a determination of whether the patent term extension applicant acted with due diligence during the regulatory review period.

The 180-day period for filing a due diligence petition pursuant to this notice has expired and FDA has received no such petition. Therefore, FDA considers the regulatory review period determination to be final.

Please let me know if we can provide further assistance.

Sincerely yours,

Jane A. Axelrad
Associate Director for Policy
Center for Drug Evaluation and Research

cc: Paul T. Parker
Perkins Cole LLP
Attorneys for Applicant, Customer No. 46844
P.O. Box 1247
Seattle, WA 98111-1247